



Work-Related Outcomes in Self-Employed Cancer Survivors: A European Multi-country Study

Steffen Torp¹ · Alain Paraponaris^{2,3} · Elke Van Hoof⁴ · Marja-Liisa Lindbohm^{5,6} · Sietske J. Tamminga⁷ · Caroline Alleaume⁸ · Nick Van Campenhout⁹ · Linda Sharp¹⁰ · Angela G. E. M. de Boer⁷

© Springer Science+Business Media, LLC, part of Springer Nature 2018

Abstract

Purpose To describe: (i) patterns of self-employment and social welfare provisions for self-employed and salaried workers in several European countries; (ii) work-related outcomes after cancer in self-employed people and to compare these with the work-related outcomes of salaried survivors within each sample; and (iii) work-related outcomes for self-employed cancer survivors across countries. **Methods** Data from 11 samples from seven European countries were included. All samples had cross-sectional survey data on work outcomes in self-employed and salaried cancer survivors who were working at time of diagnosis ($n = 22\text{--}261$ self-employed/ $101\text{--}1871$ salaried). The samples included different cancers and assessed different outcomes at different times post-diagnosis. **Results** Fewer self-employed cancer survivors took time off work due to cancer compared to salaried survivors. More self-employed than salaried survivors worked post-diagnosis in almost all countries. Among those working at the time of survey, self-employed survivors had made a larger reduction in working hours compared to pre-diagnosis, but they still worked more hours per week post-diagnosis than salaried survivors. The self-employed had received less financial compensation when absent from work post-cancer, and more self-employed, than salaried, survivors reported a negative financial change due to the cancer. There were differences between self-employed and salaried survivors in physical job demands, work ability and quality-of-life but the direction and magnitude of the differences differed across countries. **Conclusion** Despite sample differences, self-employed survivors more often continued working during treatment and had, in general, worse financial outcomes than salaried cancer survivors. Other work-related outcomes differed in different directions across countries.

Keywords Self-employment · Cancer survivor · Return to work · Rehabilitation · Social security · Quality of life

Introduction

Self-employed people make up a large proportion of the workforce in Europe, and they contribute significantly to national and European GDP and economic vitality [1]. In Europe, the self-employed now comprise on average 15% of workers [2]. Around two-thirds of self-employed people do not have employees (own-account workers) although this percentage differs substantially between countries [2]. The

remainder have employees, indicating their wider economic and societal importance.

Perceived advantages of self-employment include freedom and decision-making autonomy and high job satisfaction [3, 4]. It has also been shown that self-employed people report better mental and physical health than salaried workers [5]. Park et al. [6] reported, for instance, that those who gained self-employment were 3.2 times more likely to report good mental health than those who stayed unemployed, a much greater effect than seen among those who became salaried workers (1.6 times).

However, self-employment can also be challenging because it is dominated by low paid and low skilled work, with long and irregular working hours [7]. The self-employed are largely outside the scope of the union or other directives on health and safety at work and, in some countries, they are not covered by the legislation on occupational safety and health [8].

Linda Sharp and Angela GEM de Boer have contributed equally to this paper.

✉ Steffen Torp
steffen.torp@usn.no

Extended author information available on the last page of the article

Furthermore, they most prevalently work in certain ‘high-risk’ sectors, such as agriculture, fishing, construction and transport. With respect to work-related illness, Eurofound’s fourth European working conditions survey (EWCS) indicated that self-employed workers consider themselves to be at greater risk for work-related injuries and diseases than salaried workers, with 46% of the self-employed reporting that work affects their health, compared with 33% of employees [7].

The number of cancer survivors of working age has been increasing rapidly in recent decades [9]. There is clear evidence that a cancer diagnosis can adversely affect a range of labour market and other work-related outcomes [10]. This has stimulated the development, across Europe, of interventions to support improved work outcomes in people with cancer [9, 11]. Most previous studies of work outcome post-cancer have focussed on salaried workers. Post-cancer work experiences of self-employed and salaried workers may differ due to differences in protections available (e.g. through social welfare system), motivation to work, quality of working life, and other factors between the two groups [12]. There are some suggestions from the literature that self-employed cancer survivors may be vulnerable to poorer work-related outcomes and/or worse health outcomes due to work-related decisions than salaried survivors, but the evidence is currently limited [12–15].

There has been a call to fill the knowledge gaps regarding the work-related outcomes of self-employed cancer survivors [16]. To help do this, we need research data on self-employed persons. One potentially informative approach would be to identify existing datasets containing self-employed and salaried survivors and use these to explore similarities and differences in the same work-related outcomes between salaried and self-employed survivors and across countries. Furthermore, such a multi-country study would facilitate the interpretation of the findings in the light of legislation and social security systems.

The aims of this study were therefore, for the first time, to use information and data from multiple European countries to describe: (i) patterns of self-employment and social welfare provisions for self-employed and salaried workers in several European countries; (ii) work-related outcomes after cancer in self-employed people and to compare these with the work-related outcomes of salaried survivors within each sample; and (iii) work-related outcomes for self-employed cancer survivors across countries.

Methods

Datasets

We contacted members of the EU COST Cancer and Work Network (CANWON), which includes researchers, health

professionals and occupational health practitioners from 23 European countries [17] to identify datasets for inclusion in this first study. Datasets were eligible if they were from quantitative studies of cancer survivors in Europe that included information on one or more work-related outcomes and distinguished between survivors who were self-employed and those who were salaried. Studies that included people with any form of cancer, diagnosed in adulthood, were eligible, as were both cross-sectional and longitudinal studies. The work-related outcomes could have been collected by self-completed postal questionnaire, telephone interview or face-to-face interview, but data collection had to have been conducted in the same way in self-employed and salaried workers. Information on employment status (i.e. self-employed or salaried) had to be available either for the time of diagnosis or at the time at which the work-related outcomes were assessed. To include as many datasets from as many countries as possible, datasets from which some results had previously been published were eligible and no restriction was placed on study size. Network members were asked to provide details of potentially eligible datasets that they were aware of and to which they had access. By this process, eleven samples were identified from seven European countries (Belgium, Finland, France, Ireland, Netherlands, Norway and the UK).

Methods and Outcomes

The methods used to identify and recruit the subjects included in each of the samples are reported in detail elsewhere [10, 18–25]. Briefly, the studies in Ireland, Norway, and the UK identified and recruited potentially eligible cancer survivors via population-based cancer registries; the study in France recruited survivors registered with the three sickness funds; the study in Finland recruited from a register in an oncology department; and the study in Belgium recruited from multiple hospital clinics. The two studies in the Netherlands recruited via hospital clinics and patient organisations. All of the studies had appropriate ethical approval and participants provided written informed consent before participation.

The studies collected information on a range of different work-related outcomes, used different instruments and collected outcome data at different times after diagnosis. From the study questionnaires, the authors of this paper identified all work-related outcomes that were potentially relevant to self-employed people. For the purposes of reporting, we have classified these into two groups: (i) outcomes relating to the evolution (or trajectory) of working life after diagnosis in survivors who were working at the time of diagnosis (e.g. whether working, retired, pensioned at time of survey or designated follow-up time point); and (ii) experiences of work and working life post-cancer in survivors who were working

at the time of survey or designated follow-up time point. In all studies employment status was self-defined (i.e. study participants indicated whether they considered themselves self-employed or a salaried worker).

Contextual Information

To set the findings for cancer survivors in context, for each of the seven countries from which eligible datasets had been identified, we documented the patterns of self-employment in the population and social welfare provisions for self-employed and salaried workers (Tables 1, 2). Data on patterns of self-employment was obtained from routine labour market surveys reported by national statistics organisations [26–36] and Eurostat [2, 37]. Information from 2016 (or the closest available year) was abstracted on numbers of self-employed and salaried workers, on the distribution of self-employed across sectors, and on average hours worked, earnings and gender.

Analysis

The primary aim of the analysis was to compare each work-related outcome between salaried and self-employed survivors (i.e. within sample comparisons, rather than between-sample or between-country comparisons). In the analysis of the outcomes related to the trajectory of working life post-cancer, survivors were categorised as self-employed or salaried based on employment status at the time of diagnosis. For the outcomes relating to work experiences post-cancer, employment status was based on that recorded at the time of survey; in the event that this information was not available, survivors were categorised according to their status at the

time of diagnosis. We used descriptive statistics to summarize the work-related outcomes and compared these between salaried and self-employed survivors using appropriate tests (e.g. t-tests, with adjustment for unequal variances where necessary). $P < 0.05$ (on a two-sided test) was considered statistically significant. In the text, we comment primarily on findings for which the p value for the comparison of self-employed vs salaried was < 0.1 .

Results

Contextual Information

Table 1 presents information regarding self-employment in the countries in which the surveys were performed. The percentage of self-employed in the participating countries' labour forces range from 7% (Norway) to 17% (Ireland and the Netherlands). In all countries, approximately one-fifth of the self-employed work in industry. Likewise, about one-fifth work in primary professions except for the UK and Netherlands where only 6% of self-employed work in this sector. In these two countries, the proportion of self-employed working in the service sector is thus higher than in the other countries.

In all countries, the self-employed in general work more hours per week (35.9–51.4) compared to salaried workers (29.0–36.6) (Table 1). In Belgium, the difference between self-employed and salaried workers is 16 h per week on average while in France and Ireland it is about 10 h. The yearly income among self-employed is lower compared to salaried workers in four countries (and particularly in the UK and Belgium), and higher in three. There are more male than

Table 1 Description of self-employment in each participating country

	Total population (million)	Total labour force (million)	SE in labour force (%)	SE (%) by sector ^{a,b}	Mean working hours/week ^c (SE vs Sal) ^a	Mean earnings/year (Euro) (SE vs Sal) ^a	Male % (SE vs Sal) ^a
Belgium	11.2	4.7	15	08–22–70	51.4 vs 35.1	21,600 vs 47,500	68 vs 50
Finland	5.5	2.4	14	19–21–60	41.3 vs 36.2	34,300 vs 29,800 ^c	68 vs 49
France	66.9	25.8	11	15–17–68	46.5 vs 36.0	29,100 vs 26,400	66 vs 50
Ireland	4.7	2.0	17	25–21–54	44.8 vs 34.6	25,700 vs 35,100	77 vs 50
Netherlands	17.1	8.5	17	07–15–78	35.9 vs 29.0	37,100 vs 41,300	64 vs 52
Norway	5.2	2.7	7	15–18–67	37.6 vs 33.5	67,000 vs 56,000	70 vs 51
UK	61.1	31.7	15	05–24–72	37.8 vs 36.6	12,700 vs 23,400 ^d	66 vs 51

Information (2016 or the closest available year) retrieved from routine labour market surveys reported by national statistics organisations [26–36] and Eurostat [2, 37]

^aSE self-employed, Sal salaried

^bPrimary–secondary–tertiary sectors

^cHousehold's disposable cash income per consumption unit

^dMedian annual earnings

Table 2 Description of social security provisions in each participating country

Belgium	Self-employed are eligible to receive benefits from a sickness fund. However, they need to have paid a contribution for two previous quarters of a year during a waiting period of 6 months, unless they are exempt. The incapacity for work needs to be verified and registered within the waiting period of these 6 months. Moreover, the self-employed activity needs to be executed at least for the two previous quarters of a year. In the waiting period, there is no entitlement to sick leave benefits. The daily amount of sickness pay differs substantially between self-employed and salaried workers. For salaried workers this is based on a percentage of their income, whereas for self-employed this is a fixed amount that lowers after time and differs slightly across family situations. There are no differences in this pension regarding type of business. The amount of money that can be received is substantially higher for salaried workers when compared to self-employed. Also, self-employed receive payment only after a waiting period of at least 14 days, whereas salaried workers immediately qualify for receiving a sick leave payment. It is also important that the self-employed do not work at all, i.e. not work part time. Salaried workers need to have an incapacity of at least 66%, whereas there is no such cut-off for self-employed. As for salaried workers, cancer treatments are reimbursed if the contribution during the waiting period is paid.
Finland	Social Insurance Institution pays sickness allowance for the salaried and self-employed workers as compensation for loss of income due to incapacity for work lasting less than a full year. According to the legislation (the Self-Employed Persons' (YEL) or Farmers' (MYEL) Pensions Act) the self-employed person needs to take an insurance for old age, disability and death, if self-employment activities have lasted at least four consecutive months. For those insured under the Acts, the sickness allowance, parental allowance, earnings-related unemployment allowance and old age and disability pension are based on the income from work under the YEL or MYEL scheme as confirmed by the pension provider. Sickness allowance may also be available to persons whose self-employment is of limited scope and who are not required to take out YEL or MYEL insurance. All Finnish citizens are entitled to cancer care and treatment within the public health service
France	Among the self-employed, only craftsmen and shopkeepers received benefits from their specific sickness fund in the period considered by the survey (2010–2012). In contrast, salaried workers were unconditionally compensated by their own fund. Since then, farmers accessed sickness pay in 2014 but liberal professions (self-employed physicians, dentists, pharmacists, architects, lawyers, etc.) remain excluded from sickness benefits, unless they subscribed to a voluntary individual insurance. The daily amount of sickness pay may substantially differ but both self-employed and salaried workers can receive these daily payment allowances for a maximum period of 3 years, equal to half of the mean daily income of the year preceding the work cessation. The compulsory social contributions of salaried workers also include unemployment insurance, disability benefit, retirement allowance and child benefit. The self-employed also access child benefits. Unemployment insurance will be accessible to them soon, but the conditions are not fixed yet. The disability benefits may dramatically depend on the kind of occupation and are usually not enough to compensate for income losses. The amount of the pension is calculated more or less in the same way as for the salaried workers, with slight differences on the pension replacement rates, and may be supplemented by compulsory contributions to one of the specific complementary pension funds (for physicians, dentists, pharmacists, notaries, etc.). Generally speaking, the self-employed, among whom the liberal professions particularly, are strongly encouraged to take out individual provident contracts which provide some tax advantages. As for salaried workers, cancer treatments (inpatient and outpatient care) are fully reimbursed
Ireland	To be covered by certain social protections (e.g. full state contributory old age pension and a few other longer-term benefits), self-employed people who earn more than €5,000 per annum need to make Pay Related Social Insurance (PRSI) payments at a rate of 4% of their income or €500, whichever is the greater. If these payments are not made, they are only eligible for the reduced rate (non-contributory) old age pension. Generally, the self-employed are not eligible for certain short-term benefits, such as illness benefit (paid to employees unable to work because of ill health) or jobseekers benefit (paid to unemployed people who are capable of, available for, and seeking work). However, if they fulfil specific conditions and meet means-test requirements, self-employed people who become unemployed as a result of their business closing down, have a drop in income, or have an illness or disability may be entitled to certain other payments, such as disability allowance. Those absent from work due to illness may receive sick pay from their employer/business; this is a discretionary (rather than statutory) payment and the level and length of time it is paid varies. All citizens (irrespective of whether or not they are self-employed) are entitled to treatment for cancer in the public sector of the healthcare system; modest co-payments apply unless the individual has a very low income or is unemployed
Netherlands	For self-employed people, there is no entitlement for sick leave benefits in event of illness. The self-employed have to decide whether they wish to pay for a private insurance which will pay their disability pension in case they become work disabled. All Dutch citizens are entitled to a basic old age pension. Salaried workers receive an additional old-age pension from their former employer(s) pension fund but the self-employed have to decide whether they wish to save money for an additional old-age pension and/or pay for a private insurance which will pay their additional old-age pension. All Dutch citizens are entitled to treatment for cancer in the public sector of the healthcare system; modest co-payments ("own risk") apply for everyone

Table 2 (continued)

Norway	For all salaried workers, sick leave is granted from day one and for 1 year. The sick leave compensation benefit is equivalent to the regular salary or wage, with an upper limit of six times the national insurance basic amount per year (2017: a total of €59,137 per year). Therefore, most salaried workers do not have reduced income while on sick leave. After 1 year of sick leave, the worker is either transferred to disability pension or receives rehabilitation benefits. Income in the form of pension and rehabilitation benefits is less than the original income: approximately 66% of annual income depending on number of children and income previous years. Self-employed people are granted sick leave compensation from day 17 and for 1 year, with 66% of the income on which the sickness benefit is based. Further, for self-employed people, the upper limit of the sickness benefit is six times the national insurance basic amount per year. Self-employed people may buy an insurance policy from the National Insurance Scheme to receive the same sickness benefits as salaried workers. Of the self-employed, 3% pay for an extra insurance policy to receive the same sickness benefits as salaried. The regulations regarding sick leave, unemployment, rehabilitation benefits and disability pensions are more or less the same for self-employed as for salaried workers. All Norwegian citizens are entitled to cancer care and treatment within the public health service
UK	The National Insurance contributions made by the self-employed are graduated based on level of annual profits; those with low profits may apply for exemption from paying compulsory contributions. Unlike salaried workers, the self-employed cannot get statutory sick pay or contribute to the supplementary state pension. They do, however, qualify for the basic (reduced rate) state pension in the same way as other citizens. Those absent from work due to illness may receive contractual sick pay from their employer/business; this is a discretionary (rather than statutory) payment and the level and length of time it is paid varies. Self-employed people may be eligible for Employment and Support Allowance (which is for people with an illness, health condition or disability that makes it difficult or impossible to work), if they have paid sufficient National Insurance contributions or meet the means-test requirements. If they become unemployed, they can claim the same means-tested allowance as other workers, but must be capable of, available for, and seeking work. UK residents (irrespective of whether or not they are self-employed and level of National Insurance contributions) are entitled to cancer care within the National Health Service; this is free at the point of delivery

female self-employed (between 64% and 77% are men) in all countries.

Except for modest co-payments, cancer patients do not have to pay for cancer treatments in any of the participating countries, and access to treatment is not depended on any aspect of employment status (Table 2). The systems for social welfare provisions (e.g. sick pay and disability pension) when getting cancer (or any other disease) differ between countries. In the Netherlands, Ireland and UK most, or all, self-employed workers are not entitled to statutory payments when falling ill. In Belgium, Finland and Norway, both self-employed and salaried workers receive provisions from the public welfare system when ill, but the percentage of the replacement provision is somewhat lower for most self-employed people compared to salaried workers. In France, for self-employed workers, the financial compensation for sick leave available within the public welfare system depends on occupation: farmers, shopkeepers, craft persons receive the same compensation as salaried workers, whereas liberal professions such as architects, lawyers, physicians and pharmacists receive compensation only if they have subscribed for a private insurance.

Trajectory of Work After Cancer

All of the eleven eligible studies were cross-sectional (Table 3). Some studies included only one cancer diagnosis whereas others included a range of cancer diagnoses. The participants had been diagnosed with cancer in the period from 1997 to 2016 and the surveys were performed 3 weeks to 6 years after diagnosis. Across studies, the number of

self-employed cancer survivors varied between 22 and 261 whereas the number of salaried survivors varied between 101 and 1871.

In Table 4, results are shown from Belgium, Finland, France, Ireland, Norway and the UK on work status, occupational change, sick leave and financial issues at time of survey for those cancer survivors who were self-employed or salaried workers at time of diagnosis (these outcomes were not considered in the two studies in the Netherlands). More self-employed than salaried survivors worked at survey in all countries, with the exception of Norway, and the differences were particularly evident in Belgium and Ireland. In France, more salaried than self-employed survivors were pensioned at survey while the opposite was true in Norway. In Finland, France and Norway, more self-employed than salaried cancer survivors had made occupational changes, but the difference between the groups was statistically significant in the Norwegian study only. The Finnish and Norwegian studies asked whether the changes were due to the cancer: in both countries, among those having made occupational changes, more self-employed than salaried survivors reported that the changes were due to cancer but the differences did not reach statistical significance (40 vs 13%, $p=0.16$ in Finland and 72 vs 65%, $p=0.32$ in Norway).

Compared to salaried survivors, fewer self-employed survivors had taken time off work due to cancer in France, the UK and one of the Irish studies (Ir1) while in the other studies there were no significant differences (Table 4). As regards duration of time off work due to cancer, the self-employed survivors in the French study reported longer periods away from work compared to salaried survivors, whereas

Table 3 Description of included samples

Country	Sample ^a	Cancer site(s) included	Years of cancer diagnosis	Time of survey	No. self-employed/salaried individuals ^b	Mean age at survey (SD) ^c	Highest level of education ^d %	References
Belgium	Be1	Breast	2008–2009	3 weeks–6 months post-therapy	At survey, 22 SE; 362 Sal	–	–	Pauwels et al. [19], Van Hoof et al. [55]
Finland	Fi1	Breast, lymphoma, testicular, prostate	1997–2001	1–6 years post-diagnosis	At survey, 54 SE; 562 Sal	SE: 48 (9.5) Sal: 51(7.8)	SE: 30–28–43 Sal: 20–22–58	Taskila et al. [21], Hakanen, Lindbohm [56]
France	Fr1	13 Cancer diagnoses	2010	2 years post-diagnosis	At diagnosis, 261 SE; 1871 Sal At survey, 232 SE; 1627 Sal	SE: 49 (6.2) Sal : 47 (7.0)	SE: 5–34–61 Sal: 9–38–53	Bouhnik et al. [24]
Ireland	Ir1	Breast, prostate	2006–2007	0.5–2 years post-diagnosis	At diagnosis, 74 SE, 259 Sal	SE: 55(9.0) ^e Sal: 50 (8.4) ^e	SE: 12–58–30 Sal: 11–52–37	Hanly et al. [15, 57]
	Ir2	Colorectal	2007–2009	0.5–3 years post-diagnosis	At diagnosis, 49 SE; 135 Sal	SE: 64 (9.4) Sal: 56 (8.6)	SE: 31–40–29 Sal: 12–59–29	Hanly et al. [23]
	Ir3	Head & Neck	2006–2011	8 months–6 years post-diagnosis	At diagnosis, 55 SE; 101 Sal	SE: 57 (9.2) ^e Sal: 52 (10.3) ^e	SE: 22–47–31 Sal: 18–50–32	Pearce et al. [10]
	Ir4	Prostate	2006–2010	2–6 years post-diagnosis	At diagnosis, 239 SE; 327 Sal	SE: 68 (7.8) ^e Sal: 64 (6.7) ^e	SE: 33–42–25 Sal: 21–45–34	Drummond et al. [22]
Netherlands	Ne1	> 8 Cancer diagnoses	2009–2015	3 months–6 years post-diagnosis	At survey, 44 SE; 258 Sal	SE: 54 (6.9) Sal: 52 (8.1)	SE: 5–50–45 Sal: 1–50–49	de Jong [18]
	Ne2	> 8 Cancer diagnoses	2009–2015	3 months– 6 years post-diagnosis	At survey, 23 SE; 107 Sal	SE: 54 (6.9) Sal: 52 (8.3)	SE: 0–39–61 Sal: 1–63–36	de Jong [18]
Norway	No1	15 Cancer diagnoses	2005–2006	15–39 months post-diagnosis	At diagnosis, 88 SE; 1027 Sal At survey, 67 SE; 881 Sal	SE: 53 (6.9) Sal: 52 (8.4)	SE: 18–43–39 Sal: 19–30–52	Torp et al. [25], Torp et al. [14]
UK	UK1	Prostate	2006–2010	2–6 years post-diagnosis	At diagnosis, 108 SE; 132 Sal	SE: 68 (7.5) Sal: 63 (6.0)	SE: 49–19–32 Sal: 24–33–43	Drummond et al. [22]

Dash (–) = not reported

^aAll studies have a cross-sectional design

^bSE self-employed, Sal salaried

^cSD standard deviation

^dPrimary school–High school–University

^eAge at time of diagnosis

in two of the Irish studies (Ir2 and Ir3) the duration of time off work was shorter than among salaried survivors.

In Ireland and the UK, far fewer self-employed than salaried cancer survivors had received some kind of financial compensation for time off work, while there was no significant difference regarding financial compensation between self-employed and salaried survivors in France. In the French and Norwegian studies, significantly more

self-employed than salaried cancer survivors reported a negative financial change due to cancer, and in one of the Irish studies (Ir1) 10% more of the self-employed reported that finances influenced their return to work, but this was not statistically significant.

Table 5 presents results for working hours among self-employed and salaried cancer survivors working at survey, from 10 studies (six countries) where relevant data was

Table 4 Work status, sick leave and financial issues in self-employed and salaried cancer survivors who were working at time of diagnosis

Country	Sample	Group	Working at survey		Pensioned		Occupational change		Took time off work due to cancer		Duration of time off work due to cancer ^a		Financial compensation for time off work ^a		Negative financial change due to cancer	
			%	<i>p</i>	%	<i>p</i>	%	<i>p</i>	%	<i>p</i>	Mean months	<i>p</i>	%	<i>p</i>	%	<i>p</i>
Belgium	Be1	Self-employed	77	0.09	–	–	–	–	–	–	–	–	–	–	–	–
		Salaried	40													
Finland	Fi1	Self-employed	–	–	–	–	15 ^b	0.59	–	–	–	–	–	–	–	–
		Salaried					12									
France	Fr1	Self-employed	89	0.38	2	0.01	7	0.54	62	<0.001	7.5	<0.001	48 ^c	0.81	33	0.01
		Salaried	87		6		6		85		6.0		46		25	
Ireland	Ir1	Self-employed	78	0.07	–	–	–	–	69	<0.001	9.7	0.57	61 ^d	<0.001	65 ^e	0.19
		Salaried	66						88		11.3		65		55	
	Ir2	Self-employed	76	0.006	–	–	–	–	97	0.20	8.6	0.03	14 ^d	<0.001	–	–
		Salaried	49						89		12.8		71			
	Ir3	Self-employed	76	0.05	–	–	–	–	86	0.43	5.9	0.02	4 ^d	<0.001	–	–
		Salaried	57						91		11.6		57			
	Ir4	Self-employed	86	0.25	–	–	–	–	68	0.20	–	–	13 ^d	<0.001	–	–
		Salaried	82						74				68			
Norway	No1	Self-employed	76	0.20	9	0.08	51	0.008	86	0.92	61% ^f	0.22	–	–	42	0.001
		Salaried	81		5		37		86		54%				24	
UK	UK1	Self-employed	89	0.50	–	–	–	–	50	0.03	–	–	19 ^g	<0.001	–	–
		Salaried	86						64				81			

Dash (–) = not reported. The Dutch samples (Ne1 and Ne2) are omitted because they did not collect data on any of these outcomes

^aAmong those who took time off work due to cancer

^bOccupational change in the past 6 years

^cOnly people who were in work at diagnosis and not in work at survey were asked this question

^dReceipt of sick pay from employer/business; provision of sick pay is discretionary

^eParticipants were asked whether finances affected their work decisions

^f≥ 9 months on sick leave after cancer diagnosis

^gReceipt of sick pay (statutory, contractual or discretionary)

available. In all studies, except the Belgian one (which had a short follow-up time), more self-employed than salaried survivors had reduced their working hours from time of diagnosis [significant for France, Norway and in one of the Irish studies (Ir4)] and the self-employed had reduced their working hours more than the salaried [significant for France and two of the Irish studies (Ir1, Ir2)]. Despite this greater reduction in working hours, self-employed survivors in all countries worked more hours per week than salaried survivors [significant for two of the Irish studies (Ir1, Ir2)].

Experiences of Work After Cancer

Table 6 shows results for job demands, work ability and quality of life among self-employed and salaried cancer survivors working at survey, from nine studies (six countries) with relevant data. In the French study, there were more self-employed than salaried cancer survivors who regarded

their job as physically demanding whereas the opposite was true in one of the Dutch studies (Ne2). There were no differences between how self-employed and salaried regarded the mental demands at work in any of the three studies that measured job demands.

As regard subjective work ability, self-employed survivors in Norway reported significantly lower scores (poorer work ability) than salaried survivors, but such a difference was not evident among cancer survivors in Finland.

The Dutch (Ne1, work-related quality of life), French (physical and mental health related quality of life) and UK (general health-related quality of life) studies reported higher quality of life among self-employed compared to salaried survivors. In contrast, in the Finnish (mental health related quality of life) and one of the Irish (Ir4, general health-related quality of life) studies, the self-employed reported poorer quality of life compared to salaried survivors. The Norwegian and two other Irish (Ir1 and Ir2) studies did not

Table 5 Working hours in self-employed and salaried cancer survivors working at time of survey

Country	Sample	Group	Mean hours worked at survey		Reduced working hours ^{a,b}		Mean reduced working hours ^c	
			Hours/week	<i>p</i>	%	<i>p</i>	Hours/week	<i>p</i>
Belgium	Be1	Self-employed	20.7	0.64	31	0.40	17.2	0.91
		Salaried	19.9		45		15.2	
France	Fr1	Self-employed	36.1	0.97	37	<0.001	22.4	0.001
		Salaried	35.9		26		16.7	
Ireland	Ir1	Self-employed ^d	33.1	0.03	53	0.07	17.8	0.03
		Salaried	28.5		39		12.3	
	Ir2	Self-employed ^d	34.0	0.47	61	0.17	29.8	0.001
		Salaried	31.3		44		13.1	
	Ir3	Self-employed ^d	22.5	0.03	53	0.25	24.0	0.60
		Salaried	17.0		44		25.8	
	Ir4	Self-employed ^d	32.7	0.15	38	<0.001	19.0	0.12
		Salaried	30.0		19		15.0	
Netherlands	Ne1	Self-employed	29.6	0.92	–	–	–	–
		Salaried	28.9		–	–	–	–
	Ne2	Self-employed	31.4	0.16	–	–	–	–
		Salaried	26.7		–	–	–	–
Norway	No1	Self-employed	37.3	0.51	55	<0.001	16.4	0.28
		Salaried	35.7		27		13.8	
UK	UK1	Self-employed ^c	42.2	0.11	18	0.72	16.4	0.16
		Salaried	38.1		16		12.1	

Dash (–)=not reported. The Finnish sample (Fi1) is omitted because it did not collect data on any of these outcomes

^aPercent of people working after cancer who reduced their working hours at survey compared to at diagnosis

^bIn all countries, salaried workers are either allowed or encouraged by public authorities or health professionals to return to work after sickness for reduced number of hours if needed

^cMean reduction in working hours at survey compared to at diagnosis, averaged over those who reported reduced hours

^dStatus at time of diagnosis

show any difference in quality of life among self-employed and salaried cancer survivors.

Discussion

The results of this European multi-country study indicate that fewer self-employed cancer survivors take time off work due to cancer compared to salaried survivors. After treatment, self-employed survivors often work more hours than salaried survivors even after having made greater reductions in working hours. In most countries, self-employed survivors receive less financial compensation and more often report negative financial changes due to cancer. There are differences in the quality of life, work ability and job demands between the two groups, but the direction and magnitude vary. Overall, the included studies indicate that self-employed and salaried cancer survivors differ when it comes

to labour market and other work-related outcomes, but the patterns do vary between countries.

Self-Employment, Health and Job Satisfaction

In general, as shown in our contextual data, self-employed people work more hours per week than salaried workers [2]. Our results indicate that this difference is maintained when getting cancer and that the occurrence of sick leave is lower among the self-employed. A Canadian study [38] has shown similar results to those seen in most of the European samples presented here with self-employed survivors more often working during cancer treatment, taking sick leave later and taking less sick leave than salaried survivors. Also consistent with our results on financial constraints among the self-employed, the Canadian project documented that self-employed cancer survivors more often than salaried survivors report wage loss during and after cancer treatment [39]. In an Irish study on the financial impact of cancer,

Table 6 Job demands, work ability and quality of life in self-employed and salaried cancer survivors working at time of survey

Country	Sample	Group	Physical job demands		Mental job demands		Work ability		Work-related quality of life		Quality of life	
			%	p	%	p	Mean	p	Mean	p	Mean	p
Finland	Fi1	Self-employed ^a	–	–	–	–	8.3 ^d	0.96	–	–	Physical: 52.0 ^g Mental: 46.4 ^g	Physical: 0.61 Mental: 0.10
		Salaried	–	–	–	–	8.3	–	–	–	Physical: 51.2 Mental: 49.0	
France	Fr1	Self-employed	59 ^b	0.01	62 ^c	0.47	–	–	85% ^e	0.09	Physical: 46.4 ^g Mental: 44.1 ^g	Physical: < 0.001 Mental: 0.02
		Salaried	49	–	64	–	–	–	89%	–	Physical: 43.8 Mental: 42.4	
Ireland	Ir2	Self-employed ^a	–	–	–	–	–	–	–	–	71.2 ^h	0.88
		Salaried	–	–	–	–	–	–	–	–	72.0	
	Ir3	Self-employed ^a	–	–	–	–	–	–	–	–	122.2 ⁱ	0.88
		Salaried	–	–	–	–	–	–	–	–	121.6	
Ir4	Self-employed ^a	–	–	–	–	–	–	–	–	73.5 ^g	0.02	
	Salaried	–	–	–	–	–	–	–	–	78.1		
Netherlands	Ne1	Self-employed	65 ^b	0.25	50 ^c	0.87	–	–	78 ^f	0.07	–	–
		Salaried	56	–	52	–	–	–	74	–	–	
	Ne2	Self-employed	34 ^b	0.04	43 ^c	0.65	–	–	75 ^f	0.64	–	–
		Salaried	61	–	49	–	–	–	76	–	–	
Norway	No1	Self-employed	–	–	–	–	7.7 ^d	0.03	–	–	4.2 ^j	0.76
		Salaried	–	–	–	–	8.3	–	–	–	4.2	
UK	UK1	Self-employed ^a	–	–	–	–	–	–	–	–	83.6 ^h	0.01
		Salaried	–	–	–	–	–	–	–	–	76.6	

Dash (–) = not reported. The Belgian (Be1) sample and an Irish (Ir1) sample are omitted because they did not collect data on any of these outcomes

^aStatus at time of diagnosis

^bSingle question: “Would you say that your job is physically demanding?” (response alternatives “no” and “yes”)

^cSingle question: “Would you say that your job is mentally demanding?” (response alternatives “no” and “yes”)

^dSingle question from Work Ability Index, mean of current work ability compared with lifetime best (score range 0–10, higher score = better work ability)

^eSingle question: “Overall, are you satisfied with your job?” (response alternatives “no” and “yes”)

^fMeasured using the Quality of Working Life Questionnaire for Cancer survivors (QWLQ-CS) (score range 0–100; higher score = better quality of working life)

^gShort Form-12 questionnaire on health related quality of life (score range 0–100; higher score = better quality of life)

^hEORTC-QLQ30 global health score (score range 0–100; higher score = better quality of life)

ⁱFACT-G plus FACT-HN (score range 0–156; higher score = better quality of life)

^jSingle question: “Overall, how do you think you are doing?” (five-point response scale from very poor to very good)

Sharp and Timmons [20] interviewed oncology-based social workers who had extensive experience with supporting and guiding both self-employed and salaried cancer survivors in financial matters. These social workers stated that, in their view, self-employed cancer survivors are a particularly vulnerable group financially [20].

Although in comparison with salaried workers, the self-employed generally work more hours per week, they report better health and higher job satisfaction [5, 6, 40]. One reason for this may be that they experience more freedom and autonomy at work [41, 42]. Our results on work ability and

quality of life among cancer survivors do not fully confirm these observations: we found no clear pattern of better work ability or quality of life among the self-employed survivors. It has been shown that uncertainty about income, particularly in case of medical problems, is a common stressor among self-employed [43]. A study on cancer survivors in Norway [14] suggests that a difficult cancer-related financial situation mediates a negative effect of self-employment on work ability. The conflicting results on work ability and quality of life in the current study may result from differences between countries in the work and financial situation

of self-employed, either because different professions constitute the countries' main groups of self-employed and/or because social security systems and provisions are different. Differences in the cancer sites, ages and gender of study participants may also contribute.

Balancing Business and Health Needs

Although they constitute a heterogeneous group, self-employed people share a common trait: the absence of a subordination tie towards any hierarchy or employer [41, 44]. In this regard, they must face a twofold uncertainty concerning both their health and their business [13]. As a result, when becoming ill, they must internalise a trade-off between the health of their business, as an employer, and their own health, as a worker. Our findings on long working hours and shorter sick leave among self-employed survivors suggest that the conclusion of this deliberation seems to favour unambiguously the business interests [45, 46]. This is likely because mortgages and corporate tax have to be paid, whatever the business cycle of the individual firm or the health of the owner [47, 48] and because loss of customers during long cancer treatment and sick leave may result in bankruptcy of the business [13].

The discrepancies in health insurance and social welfare arrangements (or the lack of such arrangements for the self-employed) probably exacerbate differences in how self-employed and salaried workers respond to a cancer diagnosis. In that respect, where the financial compensation for sickness among the self-employed is poorer (Ireland), the length of sick leave due to cancer is among the shortest. Where the insurance arrangements are the most protective (France and Norway) and less discriminatory against the self-employed compared to salaried workers (in Norway, for all the self-employed and in France, for the self-employed who are not practising liberal professions), the length of sick leave due to cancer is the longest.

These findings firstly question the rationale for running one's own business [49]. In Belgium, Ireland, the Netherlands and the UK, where incomes are lower for self-employed than for salaried workers (unlike Norway, Finland and France), the higher economic risks entailed by self-employment are obviously not rewarded by higher earnings. In these countries, self-employment may be viewed, to some extent, as the opportunity to avoid unemployment and the self-employed are, then, at higher risk of health deprivation and economic insecurity. In Norway and France, risk taking seems to be less constrained by the situation in the labour market and self-employment might constitute a positive choice of entrepreneurship.

Secondly, the findings advocate for greater attention to be paid to the non-financial assistance that self-employed may require in their work. For instance, in a French study

[50], there was no difference in the occurrence of sick leave between self-employed people who had at least a relative or an associate involved in their business and those with a one-person business, whereas sick leave was twice as high among self-employed people (with or without colleagues) who could be replaced by a relative or an associate compared to self-employed who did not have this opportunity.

Finally, the contrasting behaviours of cancer survivors when facing employment issues may be fuelled by changes in individual preferences regarding priorities in life at large [51] and in working life in particular [52, 53], which seem unlikely to be the same for self-employed and salaried workers.

Strengths and Limitations

This is the first study to compare work outcomes of self-employed and salaried cancer survivors in multiple countries. Our intention in bringing together these samples was not to conduct the definitive study of working life among self-employed people with cancer, but to begin to shed a light on an under researched group who may be vulnerable to poor work-related outcomes. Although some of the samples have small numbers of self-employed participants, limiting statistical power for comparisons, and analysis were unadjusted, the paucity of data regarding the impact of cancer on working life among this group justifies their inclusion. In terms of other limitations, all of the results are conditional on the willingness of the surveyed survivors to respond. We do not have information on eligible non-respondents and therefore, cannot assess the extent to which results may be influenced by participation bias. We also lacked detailed information on the nature and content of the jobs held/work done by survivors, either salaried or self-employed, at the time of diagnosis; this has implications for the interpretation of differences between countries and between studies within one country. In addition, some of the studies were conducted several years ago and policy and economic circumstances may have changed; this highlights the need for up-to-date studies of this topic. It should also be noted that the studies themselves were not designed to study self-employed individuals.

While we identified relevant datasets through a European network, it is possible that there are other datasets which also distinguish between self-employed and salaried cancer survivors; we, therefore, hope that this work will stimulate further investigation and research on this topic in these existing—or, indeed, in new—datasets both in Europe and beyond. The studies included were not designed *a priori* for comparison and this, and data protection legislation, ethical approvals, and the consent obtained from participants, precluded pooling of individual-level data. The heterogeneity in study methods and, in particular, in the time post-diagnosis

at which outcomes were assessed (which ranged from 3 weeks to 6 years) meant that we considered meta-analysis inappropriate. Nonetheless, we carefully scrutinized the study questionnaires in a post hoc effort to identify outcomes that were reasonably comparable across studies. However, not all of the questions/tools used to assess outcomes had been previously validated in the setting in which they were applied. Finally, all of the studies had a cross-sectional design, which is an important limitation.

Implications for Research

The evidence-base on self-employed cancer survivors is limited; few studies report any data on self-employed survivors, and they are usually not the research focus [16]. Self-employed cancer survivors are furthermore a heterogeneous group with different characteristics with respect to education, occupation, socio-economic status, and type of self-employment. More research (ideally population-based and with a longitudinal design) is needed to assess the effects of these characteristics on work-related outcomes among self-employed cancer survivors. The work-related outcomes of different groups of self-employed cancer survivors may also differ; this has not been investigated to date.

Variations in social welfare systems between countries imply that findings on work-related outcomes of self-employed people in one country are unlikely to be entirely transferrable to another country. Studies on the impact of social welfare systems on work-related outcomes of self-employed cancer survivors should therefore be initiated. These differences in social welfare systems could also affect the implementation of interventions to support return-to-work after cancer. Moreover, data is lacking in many countries on: the impact of cancer on subjective work-related outcomes of self-employed people; the effect on their companies and people who are working for them; prognostic factors for work-related outcomes of self-employed cancer survivors; and self-employed survivors' decision-making, subjective needs and potential changes in work-related preferences around work after cancer. As we have noted previously, there is an urgent need for research in all of these areas [16].

Complete identification of self-employed cancer survivors could potentially be achieved by registry-based data linkage studies (at least in countries where linkage of relevant datasets is permitted and possible). Nevertheless, registry data have limitations, including lack of information on sick leave or sickness absence for non-salaried workers, and on many key work-related outcomes (e.g. work ability, quality of working life). Furthermore, they cannot supply any information on the work-related experiences of self-employed cancer survivors. This implies that research involving primary data

collection among self-employed survivors, using both quantitative and qualitative methods, is also required.

Implications for Practice

Our results indicate that, compared to salaried cancer survivors, self-employed survivors work more often and more hours per week during and after treatment. Although this may, in part, be due to the over-representation of men among the self-employed and gender differences in working hours and earnings, it is also likely to be because, for the self-employed, securing their business and income takes priority over recovering from cancer and its treatment. This suggests that self-employed cancer survivors may need support to find the right balance between maintaining business and taking care of their health. This is in line with earlier studies on employers with employees with cancer [54] which found as well that employers with employees with cancer had to balance the financial health of the company and the well-being of the employee. Nevertheless, most interventions to enhance cancer survivors' work-related outcomes have been relevant for salaried workers only. These interventions have been targeted at return to work after treatment [9] and not at working through treatment, which might be more relevant for the self-employed. Furthermore, existing interventions typically involve supervisors, colleagues and occupational physicians who might not be available to the self-employed. To understand what interventions would effectively support self-employed survivors, and how these can be implemented in policy and practice, involvement of researchers, health professionals, service providers, policy-makers and the self-employed is required. If this can be accomplished, the work-related and health outcomes of self-employed survivors can be improved. Finally, this will not only generate benefits for the self-employed cancer survivors but also for their families and their employees, the economy and the society at large.

Conclusion

This study is the first to use data from multiple countries on work-outcomes among self-employed cancer survivors. It indicates that, compared to salaried survivors, the self-employed more often continue working after cancer and work longer hours. The difference in the length of sick leave among self-employed and salaried survivors, however, varies across countries. Some of the worse outcomes among the self-employed cancer survivors were observed in countries with less protective social security system for the self-employed. Self-employed workers should be encouraged to have appropriate insurance where available. Nevertheless, our study suggests that the income of self-employed people is lowest in countries in which financial support when

ill is poorest, which may further suggest that many self-employed cannot afford insurance cover. Further, the gap in work-related outcomes post-cancer between self-employed and salaried survivors is not eliminated in countries in which the social benefits are more equal. Research is needed to identify prognostic factors for work-related outcomes in self-employed cancer survivors and to, more directly, assess the impact of social security systems on these. Interventions that help self-employed survivors to balance recovery after cancer with securing their business should be developed.

Acknowledgements We are grateful to the following persons for their work on the different national studies: Dr Tyna Taskila (Finland); Patrick Peretti-Wattel, Marc-Karim Bendiane, Claire Chauvet and the VICAN study group (France); Dr Frances Drummond, Mr Alan O’Ceilleachair and Dr Aileen Timmons (Ireland); Dr Merel de Jong (Netherlands); Dr Tone Fløtten and Ms Federica Previtali (Norway); and Dr Anna Gavin and Dr Heather Kinnear (UK). The included studies were funded by: KOm op tegen Kanker, Flemish Cancer League (Belgium); Nordic Cancer Union, Finnish Work Environment Fund, and Finnish Cancer Organisations (Finland); National Cancer Institute (Institut National du Cancer, France); Health Research Board, Irish Cancer Society, and Prostate Cancer UK (Ireland and UK); Dutch Cancer Society (Netherlands); Norwegian Cancer Society (Norway).

Compliance with Ethical Standards

Conflict of interest This paper was supported by EU COST Action Cancer and Work Network (CANWON) IS1211. No conflicts of interest declared.

Ethical Approval All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki declaration and its later amendments or comparable ethical standards.

Informed Consent All participants provided written informed consent before participation.

References

- Koellinger PD, Thurik AR. Entrepreneurship and the business cycle. *Rev Econ Stat.* 2012;94(4):1143–1156.
- Eurostat. Labour market and labour force survey. 2015. [http://ec.europa.eu/eurostat/statistics-explained/index.php/Labour_market_and_Labour_force_survey_\(LFS\)_statistics](http://ec.europa.eu/eurostat/statistics-explained/index.php/Labour_market_and_Labour_force_survey_(LFS)_statistics). Accessed 20 Feb 2017.
- Starr KT. “I want to be my own boss”: self-employment and legal business structures. *Nursing.* 2016;46(5):14–15.
- Algava E, Cavalin C, Celèrièr S. The remarkably good health of self-employed. *Travail et emploi.* 2013; (special edition):55–70.
- Stephan U, Roesler U. Health of entrepreneurs versus employees in a national representative sample. *J Occup Organ Psychol.* 2010;83(3):717–738.
- Park S, Chan KCG, Williams EC. Gain of employment and perceived health status among previously unemployed persons: evidence from a longitudinal study in the United States. *Public Health.* 2016;133:83–90.
- Cockburn W, Treutlein D, Karjalainen A, Kaluza S, Papale A, Verjans M. A review of methods used across Europe to estimate work-related accidents and illnesses among the self-employed. European Agency for Safety and Health. 2010. https://osha.europa.eu/en/tools-and-publications/publications/literature_reviews/self-employed. Accessed 24 June 2018.
- Ministry of Labour and Social Inclusion. Lov om arbeidsmiljø, arbeidstid og stillingsvern mv. (arbeidsmiljøloven) [The Work Environment Act]. Oslo: Ministry of Labour and Social Inclusion; 2005.
- de Boer A, Taskila TK, Tamminga SJ, Feuerstein M, Frings-Dresen M, Verbeek JH. Interventions to enhance return-to-work for cancer patients. *Cochrane Database Syst Rev.* 2015;25(9):1–78. <https://doi.org/10.1002/14651858.CD007569.pub3>. Accessed 24 Jun 2018.
- Pearce A, Timmons A, O’Sullivan E, Gallagher P, Goberman-Hill R, Thomas A, et al. Long-term workforce participation patterns following head and neck cancer. *J Cancer Surviv.* 2015;9(1):30–39.
- Désiron H, Crutzen R, Godderis L, Hoof E, de Rijk A. Bridging health care and the workplace: Formulation of a return-to-work intervention for breast cancer patients using an intervention mapping approach. *J Occup Rehabil.* 2016;26(3):350–65.
- Tison A. Decisions on the labor market in a context of both economic and health uncertainty. In: Empirical and theoretical approaches with applications for self-employed workers diagnosed with cancer. Marseille: Aix-Marseille University; 2016.
- Sharp L, Timmons A. Social welfare and legal constraints associated with work among breast and prostate cancer survivors: experiences from Ireland. *J Cancer Surviv.* 2011;5(4):382–394.
- Ha-Vinh P, Régnard P, Huiart L, Sauze L, Eisinger F. Self-employed and small business owners diagnosed with cancer: effect on entrepreneurial survival. *Santé publique.* 2015;27(1 Suppl):S145–S154.
- Torp S, Syse J, Paraponaris A, Gudbergsson S. Return to work among self-employed cancer survivors. 2017;11(2):189–200.
- Sharp L, Torp S, van Hoff E, de Boer A. Cancer and its impact on work among the self-employed: a need to bridge the knowledge gap. *Eur J Cancer Care.* 2017;26:1–4. <https://doi.org/10.1111/ecc.12746>. Accessed 24 Jun 2018.
- de Boer A. The european cancer and work network: CANWON. *J Occup Rehabil.* 2014;24(3):393–398.
- de Jong M. Quality of working life of cancer survivors. In: Development and evaluation of a measurement instrument. Amsterdam: University of Amsterdam; 2016.
- Pauwels EEJ, Charlier C, De Bourdeaudhuij I, Lechner L, Van Hoof E. Care needs after primary breast cancer treatment. Survivors’ associated sociodemographic and medical characteristics. *Psycho-Oncology.* 2013;22(1):125–132.
- Sharp L, Timmons A. The financial impact of a cancer diagnosis. Dublin: National Cancer Registry Ireland; 2010.
- Taskila T, Martikainen R, Hietanen P, Lindbohm M-L. Comparative study of work ability between cancer survivors and their referents. *Eur J Cancer.* 2007;43(5):914–920.
- Drummond F, Kinnear H, Donnelly C, O’Leary E, Burns R, O’Brien K, et al. Establishing a population-based patient reported outcomes study (PROMs) using national cancer registries across two jurisdictions; The Prostate Cancer Treatment, your experience (PICTure) Study. *BMJ Open.* 2015;5(4):1–11. <https://doi.org/10.1136/bmjopen-2014-006851>. Accessed 24 Jun 2018.
- Hanly P, Walsh PM, Céilleachair AÓ, Skally M, Staines M, Kapur A, et al. Work-related productivity losses in an era of ageing populations: the case of colorectal cancer. *J Occup Environ Med.* 2013;55(2):128–134.
- Bouhnik AD, Bendiane MK, Cortaredona S, Sagaon Teyssier L, Rey D, Berenger C, et al. The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer

- diagnosis (the VICAN survey). *BMJ Open*. 2015;5(3):1–9. <https://doi.org/10.1136/bmjopen-2014-005971>. Accessed 24 Jun 2018.
25. Torp S, Nielsen RA, Gudbergsson SB, Dahl AA. Worksite adjustments and work ability among employed cancer survivors. *Support Care Cancer*. 2012;20:2149–2156.
 26. Sécurité Sociale Entrepreneurs Indépendants. Basic statistics and detail tables of self-employed Brussels. 2016. https://rproxy.rsvz-inasti.fgov.be/WebSta/index_nl.htm. Accessed 8 Jun 2017.
 27. Rijksinstituut voor ziekte-en invaliditeitsverzekering. Verklarende factoren met betrekking tot de stijging van het aantal invaliden. Werknemersregeling en regeling der zelfstandigen. Periode 2006–2015 [Descriptive factors concerning the increase of longterm absence. Salaried and selfemployed individuals. Period 2006–2015]. Brussels. 2015. http://www.inami.fgov.be/SiteCollectionDocuments/studie_verklarende_factoren_stijging_invaliden.pdf. Accessed 3 Jul 2017.
 28. Statistics Finland. Official statistics of Finland: Labour force survey. ISSN = 1798–7857. Employment and unemployment 2016, Appendix table 11. Employees and self-employed persons aged 15–74 by industry (TOL 2008) in 2012–2016. Helsinki. 2016. http://www.stat.fi/til/tyti/2016/13/tyti_2016_13_2017-04-12_tau_011_en.html. Accessed 20 Jun 2017.
 29. National Institute of Statistics and Economic Studies (INSEE). Une photographie du marché du travail en 2014 [A picture of the labor market in 2014]. 2015. <https://www.insee.fr/fr/statistiques/1560271>. Accessed 8 Jun 2017.
 30. (INSEE) NIOsAES. Emploi salarié et non-salarié par activité en 2015 [Salaried and non-salaried employment by occupation in 2015]. 2015. <https://www.insee.fr/fr/statistiques/2424696>. Accessed 8 Jun 2017.
 31. Central Bureaus Statistics (CBS). The Netherlands. Arbeidsdeelname; kerncijfers. 2016. [https://statline.cbs.nl/statweb/publication/?vw=t&dm=slnl&pa=82309ned&d1=0,2-10,22&d2=0&d3=0&d4=0&d5=\(1-13\)-l&hd=151216-1202&hdr=g1,g2,g3,t&stb=g4](https://statline.cbs.nl/statweb/publication/?vw=t&dm=slnl&pa=82309ned&d1=0,2-10,22&d2=0&d3=0&d4=0&d5=(1-13)-l&hd=151216-1202&hdr=g1,g2,g3,t&stb=g4). Accessed 13 Mar 2018.
 32. Central Bureaus Statistics (CBS). The Netherlands. Arbeidsvolname naar bedrijfstak en geslacht; nationale rekeningen. 2016. <https://statline.cbs.nl/Statweb/publication/?DM=SLNL&PA=82579NED&D1=0&D2=0&D3=a&D4=0-96&D5=0-14,l&HDR=G1,G2,T&STB=G3,G4&VW=T>. Accessed 13 Mar 2018.
 33. Statistics Norway. Labour force survey. 2016. <https://www.ssb.no/statistikkbanken/selecttable/hovedtabelHjem.asp?KortNavnWeb=aku&CMSSubjectArea=arbeid-og-lonn>. Accessed 8 Jun 2017.
 34. Office of National Statistics UK. Labour force survey, Table EMP09. Q3 2016. <https://www.ons.gov.uk/employmentandlabourmarket/peopleinwork/employmentandemployeetypes/datasets/employeesandselfemployedbyoccupationemp09/current>. Accessed 10 Aug 2017.
 35. Finland Statistics. Official statistics of Finland: income distribution statistics. 2017. http://www.stat.fi/til/tjt/tau_en.html. Accessed 20 Jun 2017.
 36. Central Statistics Office Ireland. Quarterly national household survey, Q1–Q3. 2016. <http://www.cso.ie/en/statistics/labourmarket/>. Accessed 10 Aug 2017.
 37. Eurostat. Average number of usual weekly hours of work in main job, by sex, professional status, full-time/part-time and occupation (hours). 2017. http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=lfsa_ewhuis&lang=eng. Accessed 4 Jul 2017.
 38. Drolet M, Maunsell E, Mondor M, Brisson C, Brisson J, Masse B, et al. Work absence after breast cancer diagnosis: a population-based study. *Can Med Assoc J*. 2005;173(7):765–771.
 39. Lauzier S, Maunsell E, Drolet M, Coyle D, Hebert-Croteau N, Brisson J, et al. Wage losses in the year after breast cancer: extent and determinants among Canadian women. *J Natl Cancer Inst*. 2008;100(5):321–332.
 40. Benz M, Frey S. Being independent is a great thing: subjective evaluations of self-employment and hierarchy. *Economica Economica*. 2006;75:362–383.
 41. Prottas DJ, Thompson CA, Tetrack LE. Stress, satisfaction, and the work-family interface: a comparison of self-employed business owners, independents, and organizational employees. *J Occup Health Psychol*. 2006;11(4):366–378.
 42. Hatfield I. Self-employment in Europe. London: Institute for Public Policy Research; 2015.
 43. Schonfeld I, Mazzola J. A qualitative study of stress in individuals self-employed in Solo businesses. *J Occup Health Psychol*. 2015;20(4):501–513.
 44. Hébert R, Link A. In search of the meaning of entrepreneurship. *Small Bus Econ*. 1989;1(1):39–49.
 45. Egan S. The health tradeoffs of entrepreneurship. *New York Time*. 2013 8/08/2013.
 46. Lewin-Epstein N, Yuchtman-Yaar E. Health risks of self-employment. *Work Occup*. 1991;18(3):291–312.
 47. Agarwal R, Gort M. The evolution of markets and entry, exit and survival of firms. *Rev Econ Stat*. 1996;78(3):489–498.
 48. Agarwal R, Audretsch DB. Does entry size matter? The impact of the life cycle and technology on firm survival. *J Ind Econ*. 2001;49(1):21–43.
 49. Gilbert B, Audretsch D, McDougall P. The emergence of entrepreneurship policy. *Small Bus Econ*. 2004;22(3):313–323.
 50. Ha-Vinh P, Régnard P, Sauze L. Self-employed workers with cancer—a threat to the survival of their businesses. *Rev Fr Aff Soc*. 2014;1(1–2):192–215.
 51. Sahn CR. How much does risk tolerance change? *Quart J Fin*. 2012;2(4):1–38. <https://doi.org/10.1142/S2010139212500206>. Accessed 24 Jun 2018.
 52. Siegrist J, Quick JC. Adverse health effects of high-effort/low-reward conditions. *J Occup Health Psychol*. 1996;1(1):27–41.
 53. Hamermesh DS. Expectations, life expectancy, and economic behavior. *Q J Econ*. 1985;100(2):389–408.
 54. Greidanus MA, de Boer AGEM, de Rijk AE, Tiedtke CM, Dierckx de Casterlé B, Frings-Dresen MHW, Tamminga SJ. Perceived employer-related barriers and facilitators for work participation of cancer survivors: a systematic review of employers' and survivors' perspectives. *Psycho-Oncology*. 2018;27(3):725–733.
 55. Van Hoof E, Pauwels E, Charlier C, De Bourdeaudhuij I. Breast cancer survivors' physical and psychosocial profiles and their relationship to the need for information and support after primary medical treatment: a cluster-analytic approach. *Psycho-Oncology*. 2013;22(Suppl 3):343–344.
 56. Hakanen JJ, Lindbohm ML. Work engagement among breast cancer survivors and the referents: the importance of optimism and social resources at work. *J Cancer Surviv*. 2008;2(4):283–295.
 57. Hanly P, Timmons A, Walsh PM, Sharp L. Breast and prostate cancer productivity costs: a comparison of the human capital approach and the friction cost approach. *Value Health*. 2012;15(3):429–436.

Affiliations

Steffen Torp¹  · Alain Paraponaris^{2,3} · Elke Van Hoof⁴ · Marja-Liisa Lindbohm^{5,6} · Sietske J. Tamminga⁷ · Caroline Alleaume⁸ · Nick Van Campenhout⁹ · Linda Sharp¹⁰ · Angela G. E. M. de Boer⁷

Alain Paraponaris
alain.paraponaris@univ-amu.fr

Elke Van Hoof
elke.van.hoof@vub.ac.be

Marja-Liisa Lindbohm
marja-liisa.lindbohm@ttl.fi

Sietske J. Tamminga
s.j.tamminga@amc.nl

Caroline Alleaume
caroline.alleaume@inserm.fr

Nick Van Campenhout
nick.van.campenhout@vub.be

Linda Sharp
linda.sharp@ncl.ac.uk

Angela G. E. M. de Boer
a.g.deboer@amc.uva.nl

² Aix-Marseille University, CNRS, EHES, Centrale
Marseille, AMSE, Marseille, France

³ ORS PACA, Southeastern Health Regional Observatory,
Marseille, France

⁴ Faculty of Psychology and Education Sciences, Vrije
Universiteit Brussel, Brussels, Belgium

⁵ Finnish Institute of Occupational Health, Helsinki, Finland

⁶ University of Tampere, Tampere, Finland

⁷ Coronel Institute of Occupational Health, Amsterdam
Public Health Research Institute, Academic Medical Center,
Amsterdam, The Netherlands

⁸ Aix-Marseille University, INSERM, IRD, SESSTIM,
Sciences Economiques & Sociales de la Santé & Traitement
de l'Information Médicale, Marseille, France

⁹ KLEP, Faculty of Psychology and Education Sciences, Vrije
Universiteit Brussel, Brussels, Belgium

¹⁰ Institute of Health & Society, Newcastle University,
Newcastle upon Tyne, UK

¹ Department of Health, Social & Welfare Studies, University
of South-Eastern Norway, Tønsberg, Norway